


## Table of contents

<b>Table of contents</b>	<b>1</b>
<b>Module installation in Prestashop</b>	<b>2</b>
<b>Module settings</b>	<b>3</b>
Merchant ID.	3
Merchant Secret.	3
Right side logo address.	3
Left side logo address.	3
Hide logos in the checkout page.	3
Allow cache when retrieving Payment ways?	4
Allow only special payment buttons, such as Apple Pay?	4
Refund web form location on order handling page?	4
Module debug status?	4
Customer email addresses, who can order with Paytrail PSP testing creds	4
Order status	4
<b>Module in Prestashop checkout page</b>	<b>5</b>
<b>Refunding webform</b>	<b>6</b>
Paytrail order refunds.	6
Paytrail refunding web form.	6
<b>Payment reports</b>	<b>7</b>
<b>Debugging payment module</b>	<b>8</b>


Paytrail payment module for Prestashop  
Module installation in Prestashop

The module can be installed normally via the Prestashop module manager page.



## Paytrail payment module for Prestashop Module settings

After successful installation module settings can be accessed via the Prestashop module manager:



### Merchant ID.

Use `375917` in tests. Value for production is provided by Paytrail.

### Merchant Secret.

Use `SAIPPUAKAUPPIAS` in tests. Value for production is provided by Paytrail.

### Right side logo address.

Example: /modules/ahcocheckoutfipsp/150x400.png. Empty field means disabled.

### Left side logo address.

Example: /modules/ahcocheckoutfipsp/150x400.png. Empty field means disabled.

### Hide logos in the checkout page.

By default Off. It is recommended to keep it off

## Allow cache when retrieving Payment ways?

By default on. It is recommended to keep it on

## Allow only special payment buttons, such as Apple Pay?

By default Off. It is recommended to keep it off. The module provides only the Apple Pay button, if the visitor uses Safari web browser.

## Refund web form location on order handling page?

Prestashop allows you to display modules in different locations on the order handling page.

## Module debug status?

By default Off. It is recommended to keep it off.

## Customer email addresses, who can order with Paytrail PSP testing creds


Paytrail Merchant ID `375917` and Merchant secret `SAIPPUAKAUPPIAS` can be used to test out the Payment module. These customer email addresses automatically get this Payment module to test mode. Email addresses have to be separated by comma. Previous setting **Module debug mode** has to be active. It is recommended to keep this field empty.

## Order status

Orders status, when successfully paid with Paytrail PSP. Prestashop sets this status to successfully paid order.

Paytrail payment module for Prestashop  
Module in Prestashop checkout page

Prestashop lists all the payment ways as radio buttons:



“Nordea” payment button is the easiest to test out the Payment Module.

Refunding webform

If Prestashop order has been successfully paid via Paytrail payment gateway then order handling page shows refunding information:

**Paytrail PSP.**

---

**Paytrail transaction ID:**

3026654c-8dfc-11ee-8f25-c70782ebab4b

**Paytrail order refunds.**

Created	Paytrail transaction ID	Refunding amount	E-mail	Refund description	Payment Provider	Status	Message	Meta
2023-11-28 17:00:46	3026654c-8dfc-11ee-8f25-c70782ebab4b	107.8800	heikki.pals@ahco.fi	Tilaus 18	email refund	ok	n/a	n/a
2023-11-28 17:01:01	3026654c-8dfc-11ee-8f25-c70782ebab4b	107.8800	heikki.pals@ahco.fi	Tilaus 18	email refund	ok	n/a	n/a

**Paytrail refunding web form.**

Refund receiver E-mail address:

Refund amount:

Refund description:

**Paytrail order refunds.**

List shows refunding attempts and statuses.

**Paytrail refunding web form.**

The webform can be used to refund.



## Paytrail payment module for Prestashop Debugging payment module

After “Reports about payment transactions.” section comes the “Debugging” section. This can provide useful information for module developers.

### Debugging

Cart ID

Order ID

If Module debug status is set on, then more debugging information about the current page can be accessed, when “**&debugAhcocheckoutfisp=1**” is appended to the browser location field.